TABLE 1.0 - Minimum Small Boat Safety Equipment

EQUIPMENT	MOTORBOAT CLASSIFICATION					
	CLASS A	CLASS I	CLASS II	CLASS III	SRV	
Anchor	7.5 lb w/ 6' 1/4" chain	15 lb w/ 8' 5/16" chain	25 lb w/ 10' 3/8" chain	50 lb w/ 15' ½" chain	100 lb w/ 25' 5/8" chain	
Anchor Line	7/16"	1-2	5/8"	3/4"	1"	
Portable Fire Extinguishers	1 Type B-I	1 Type B-I	2 Type B-I or 1 Type B-II	3 Type B-I or 1 Type B-I and one B-II	1 Type B-II per space and fixed system for engine room.	
NOTE: B-I type approved hand portable extinguishers contain: 1.25 to 2.33 gallons Foam, 4 to 15 pounds Carbon Dioxide, or 2 to 10 pounds Dry Chemical B-II type approved hand portable extinguishers contain: 2.5 gallons Foam, 15 pounds Carbon Dioxide, or 10 to 20 pound Dry Chemical						
Backfire Flame Arrestor and Drip Pan	not applicable to outboard engines.					

EQUIPMENT	CLASS A	CLASS I	CLASS II	CLASS III	SRV		
Ventilation	At least two ventilators fitted with cowls or their equivalent for every engine or fuel tank compartment of boats decked over using gasoline or other fuel of a flash point less than 100 degrees Fahrenheit. Boats of such construction will also be provided with a powered bilge exhaust blower which has an arc resistant motor and is wired independently of the ignition starting system.						
Ring Life Buoys or Buoyant Cushions	One ring life buoy or buoyant cushion.		Two 24" Ring Life Buoys.	Two 24" Ring Life Buoys, one with strobe water light.	Three 30" Ring Life Buoys, two with strobe water light.		
Lifeboat, Raft, or Buoyant Apparatus	None.	None.	None.	One, sized to accommodate 100% of personnel aboard.	One on each side of the vessel, sized to accommodate 150% of personnel aboard.		
Magnetic Compass	None	One handheld bearing compass	One 4"	One 6" w/ current deviation card	One 8" w/ current deviation card		
Gyro Compass	None	None	None	None	One		
Emergency Tiller	None	One	One	One	One		

EQUIPMENT	CLASS A	CLASS I	CLASS II	CLASS III	SRV		
Oars/Paddles	One Set	One Set	None	None	None		
Navigation Lights	As described in Navigation Rules						
Whistle/Horn	One manually or power operated device, audible for at least ½ mile			One power operated and one manually operated, audible for at least ½ mile			
Bell	None	None	One	One 8" Bell	One 10" Bell		
First Aid Kit	One	One	One	One	One		
NOTE: Contents of first-aid kits should be adequate for type of operation and skill level of personnel expected to administer first aid.							
Nautical Charts	One waterproof chartlet cover operations are	ing the daily	One of each covering the vessels normal operations area corrected through the most current Notice to Mariners				